1. (19pts) Let
$$f(x) = x^2 + 5x + 4$$
, $g(x) = \frac{2x+7}{x-1}$, $h(x) = \sqrt{5x-2}$.

Find the following (simplify where possible):

$$\frac{f}{g}(0) = \frac{g(0)}{g(0)} = \frac{4}{\frac{n}{1}} = -\frac{4}{7}$$

$$(f-h)(1) = \mathcal{L}(\iota) - \mathcal{L}(\iota) = 10 - \sqrt{3}$$

$$(f \circ g)(2) = \mathcal{L}(g(2)) = \mathcal{L}(\frac{11}{1})$$
$$= 11^{2} + 5 \cdot 11 + 4$$
$$= 180$$


$$(g \circ f)(x) = \mathcal{G}(\mathcal{L}(x))$$

$$= \mathcal{G}(x^{2} + Sx + 4)$$

$$= \frac{2(x^{2} + Sx + 4) + 7}{x^{2} + Sx + 4 - 1} = \frac{2x^{2} + 10x + 15}{x^{2} + 5x + 3}$$

The domain of $(g \cdot h)(x) = danan of g \cap danan of h = <math>\{x \mid X \geqslant \frac{2}{5} \text{ and } X \neq 1\}$ {x1x+1}

- $2x \stackrel{>}{>} 5 = \left[\frac{2}{5}, 1\right) \cap \left(1^{1} \approx\right)$ $2x 5 \stackrel{>}{>} 0$ 2
- 2. (8pts) The graph of a function f is given.
- a) Is this function one-to-one? Justify.
- b) If the function is one-to-one, find the graph of f^{-1} , labeling the relevant points.
- a) yes, because it passes the horizontal ha test



Swap coordinates reflect com in line yex (blue)

- 3. (10pts) Let f(x) = 5x 4.
- a) Find the formula for f^{-1} .
- b) Show that $(f^{-1} \circ f)(x) = x$.

$$y = 5x - 4$$


 $y + 9 = 5x$
 $x = \frac{y + 4}{5}$
 $f''(y) = \frac{y + 9}{5}$


4. (14pts) The quadratic function $f(x) = x^2 - 7x + 11$ is given. Do the following without using the calculator.

f-(2(x)) = f1(2x-4) = 2x-4+4 = 2x = X

- a) Find the x- and y-intercepts of its graph, if any.
- b) Find the vertex of the graph.
- c) Sketch the graph of the function.


a)
$$y-xt$$
: $f(0)=11$
 $\chi-\mu t$: $\chi^{2}-7\chi+11=0$
 $\chi=\frac{7\pm\sqrt{49-4\cdot1\cdot11}}{2}$
 $=\frac{7\pm\sqrt{5}}{2}=4.6180,$
 2.3820





- 5. (24pts) Consider the polynomial $f(x) = x^3 8x^2 + 16x$.
- a) Find the y- and x-intercepts algebraically. What are the multiplicities of the zeroes of f?
- b) Use your calculator to draw the graph of the function (on paper!).
- c) Find all the turning points (4 decimal points accuracy).
- d) Describe the end behavior of f.
- e) What is the range of f?

a)
$$y-nt$$
: $k(0)=0$
 $x-int$:
 $x^{\frac{1}{2}} 8x^{2}+16x=0$
 $x(x^{\frac{1}{2}}-8x+16)=0$
 $x(x-4)^{\frac{1}{2}}=0$
 $x=0$ with = 1
 $x=4$ with = 2




- 6. (10pts) Suppose you are fencing in a rectangular area for your goat. The width of the rectangle is 10 feet less than its length. Let P be the length (in feet) of fencing you bought.
- a) Express the length of the rectangle as a function of P.
- b) Express the area of the enclosure first as a function of length, then as a function of P.


9)
$$= \ell - 10$$


$$=$$

$$\begin{array}{ll} \ell & A = w \cdot \ell = (\ell - 10) \, \ell \\ & = \ell^2 - 10 \, \ell \\ & = \ell \, (\ell - 10) \\ & = \ell^2 + 5 \, (\ell - 10) \, \ell \\$$

- (15pts) A rectangle in the first quadrant is positioned as in the picture, so that two of its sides are along the axes, and one of its vertices is on the line y = 5 - 2x.
- a) Draw two more such rectangles.
- b) Express the area of the rectangle as a function of x and sketch a graph of the area function.
- c) What dimensions of the rectangle give you the largest area, and what is this area?







C) (-8,7,2)

$$X = \frac{5}{4}, y = 5 - 2, \frac{5}{4} = 5 - \frac{5}{2} = \frac{5}{2}$$

Bonus. (10pts) Let $f(x) = \frac{4x^2 - 8x - 140}{x^2 + 6x + 9}$. $= \frac{4(x^2 - 2x - 35)}{(x + 3)^2} = \frac{4(x - 7)(x + 5)}{(x + 3)^2}$

- a) Find the domain of f and the vertical asymptote
- b) Find all the x- and y-intercepts.
- c) Use your calculator to draw the graph of the function (on paper!).
- d) Find all the turning points.
- e) Find the horizontal asymptote, if any.

